

SAFE WORK ACTION PLAN

Procedure



Safe Work Action Plan

January 2023

Safe Work Action Pan Version 1.1 Page 1 of 22

Table of Contents

1.	Health and Safety Policy	Page 3
2.	Environmental Policy	Page 4
3.	Inspections	Page 5
4.	Accident Investigation	Page 6
5.	Safety Meetings	Page 7
6.	Safety Review	Page 8
7.	Safety Rules	Page 11
8.	Training	Page 14
9.	Record Keeping	Page 16
10.	First Aid	Page 17
11.	Emergency Preparedness Program	Page 18

Health and Safety Policy

IPS★ITCS is committed to conducting business with the goal "Zero Harm" to all stakeholders, by providing a safe work environment, safe systems and people who work safely. This policy will be implemented through the Company's Management System.

The Chief Executive Officer has ultimate responsibility for the implementation of this policy, but without diminishing management's obligations, IPS*ITCS recognizes that all parties have an obligation to ensure the health, safety, and welfare of all stakeholders. The foundation of our commitment is that no business objective will take priority over health and safety and that no task is so urgent that it cannot be done safely.

IPS★ITCS commits to taking all practical steps to ensure a safe working environment by:

- Compliance with the relevant HSE legislation, regulations, standards, and codes of practice.
- Setting health and safety objectives and targets in line with its operational goals.
- Consultation with stakeholders to deliver continuous improvement of equipment and work environments, while maintaining the highest level of safety and reporting all incidents, to enable investigation and implementation of corrective actions, aimed at addressing root causes.

Objectives and targets will be established and reviewed through consultation with our people and management to enable continuous improvement of our HSE performance.

This policy will be made available to the public and reviewed annually to ensure its relevance to the organization.

David Shipwash

David Shipwash
Chief Executive Officer

Environmental Policy

IPS★ITCS is committed to pursuing the highest possible standards of environmental management in all operations. This policy will be implemented through the Company's Management System. IPS★ITCS is committed to minimizing of pollution and any negative impacts on the environment and community.

IPS★ITCS commits to taking all practical steps to minimize damage to the environment from its operations by:

- Compliance with applicable legal requirements.
- Setting environmental objectives and targets in line with its operational goals.
- Promotion of a strong environmental awareness ethic within our code of conduct.
- Planning, construction, and operation of equipment in a manner which minimizes adverse environmental impacts.
- Review and continuous improvement of the system, using collected data.
- Conservation of resources during the design and production of products, by reducing the use of raw materials, packaging, and energy in manufacture, as well as recycling production wastes; and
- Open and constructive communication with all stakeholders.

This policy will be made available to the public and reviewed annually to ensure its relevance to the organization.

David Shipwash

David Shipwash
Chief Executive Officer

Inspections

It is the policy of IPS*ITCS to maintain a safe and healthful work environment for each employee and to comply with all applicable occupational health and safety regulations. IPS*ITCS's Injury and Illness Prevention Program (IIPP) is intended to establish a framework for identifying and correcting workplace hazards within IPS*ITCS, while addressing legal requirements for a formal, written IIPP.

Safety inspections are the most effective means of identifying hazardous conditions at the worksite. Therefore, Inspections shall be made of all areas of the workplace at least weekly by a supervisor on site.

A written report is to be completed for each inspection and retained for a period or one year.

Confined Space and Dumping		N C			1 1								
. Are employees wearing Proper PPE?					4 1								
Is vec loader being used?		$\overline{}$			4 I								
. Is the vec loader grounded?	-	\rightarrow			1 1								
5. Are all hoses to the loader secured? 5. Are fire extinguishers readily available?	_	\rightarrow			- 1								
7. What are the readings on the monitor at time of inspection?	-	-+			1 1								
2: Temperature:					1 1								
EL:	8				1 1								
omb:					1								
Scaffolds	877	10											
Scaffolds been inspected per shift?					1								
Scaffolds properly constructed for load?	5] [
Access ladders 3 ft. above deck?]								
Guardrails, toe boards, decking in place?					1 1								
Electrical													
GFCIs being used?		\rightarrow			1 1 4		_						
All cords inspected and properly color coded?													
Slings/ Chokers	4												
Slings/ Chokers free of cracks, tears, rips, or defects?		\rightarrow				Confine	d Space and	Dumping	Υ	N	Comment	s/ Corrective	Action Tak
. Have shackles/ hooks been inspected and free from defects?	1				12. /	re employees wearin	ng Proper PPE?						
						vec loader being us							
Other Comments/ Corrective Actions and/ Positive F	Foodback					the vec loader grou							
their Commentar Corrective Actions and in Contive i	COUDACK					re all hoses to the lo							
						re fire extinguishers				+			
						that are the readings		at time of inspection?	-				
					- 02: - LEL		Tempe	arature:	_				
					Con		_		_				
					- Out		Scaffolds						
					1.9	affolds been inspect							
						affolds properly con		2		+			
										_			
					- 3. A	cess ladders 3 ft. ab ardrails, toe boards,		?					
					- 3. A	rdrails, toe boards,	decking in place	7					
					3. A 4.Gi	ardrails, toe boards,		7					
					3. A 4.Gi	ardrails, toe boards, Cls being used?	decking in place Electrical						
					3. A 4.Gi	cls being used?	decking in place Electrical	oded?					
If of Home		of itams as	ew [1% Compliance	3. A 4.Gi	cls being used?	decking in place Electrical d properly color c Blings/ Choke	oded?					
# of items audited	# d	of items a	isw.	% Compliance on this audit	3. A 4.Gi	rdrails, toe boards, Cls being used? cords inspected and S ngs/ Chokers free of	decking in place Electrical properly color of lings/ Choke cracks, tears, rip	oded?					
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? PFS os, or defects?	e Feedback				
	d	of items and deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	ISW.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited Person Performing Audit:	d	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? BYS ps, or defects? and free from defects?	e Feedback				
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? If S., or defects? and free from defects? ctions and/ Positiv	e Feedback	W of itomes	2000		4 Complian
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	# of items			
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? If S., or defects? and free from defects? ctions and/ Positiv	e Feedback	# of items			
audited erson Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback				
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback				
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4.Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical d properly color of Slings/ Choke cracks, tears, rig been inspected a	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback				
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	ardrails, toe boards, CIs being used? cords inspected and S ngs/ Chokers free of we shackles/ hooks to	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback				
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	isw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			
audited Person Performing Audit:	s	deficient	nsw.	% Compliance on this audit	3. A 4. Gi	classis, to e boards, Cls being used? codes inspected and significant codes in the code of	decking in place Electrical I properly of hock of lings/ of hock of cracks, lears, fig. corrective Acc	oded? Its Its Services of defects? and free from defects? ctions and/ Positive	e Feedback	deficient			6 Complianning this audit

Personnel and Environmental Monitoring

Initial Monitoring

In a workplace where toxin levels (i.e.: Benzene, Lead, or other heavy metals) may be at or above action levels (or suspected to be) initial air monitoring must be conducted and read by a Safety Professional or someone trained to the satisfaction of an IPS*ITCS Company Safety Professional. This air monitoring training must be documented.

Personnel Exposure Monitoring

Employee exposure monitoring must be conducted and normalize the results for a full shift. Personal samples should include at least one sample for each shift for each job classification in each work area and must be representative of employees who may be exposed to toxins. Records will be kept on-site of exposure monitoring.

Methods for Informing Employees

Employees shall be informed, in writing, of the results of the air monitoring which represents their exposure within 10-working days of the monitoring. These results shall be written up and forwarded to all employees who worked or who are working at the site.

Environmental (Background) Monitoring

To help ensure decontamination procedures are working in conjunction with the environmental controls put in place during the project, areas such as Vacuum exhaust, clean areas, break areas, shall also be monitored to ensure contaminates are not present, or have not been transferred to these areas.

Collection and Test Methodology

All monitoring and analytical methods shall be in compliance with the applicable NIOSH collection and test methods for each individual toxin being analyzed. Examples:

Asbestos NIOSH 7400
Benzene NIOSH 1500 or 1501
Silica (Quartz) NIOSH 7500

NIOSH 7300

Lead NIOSH 7300 Vanadium NIOSH 7300 Chromium NIOSH 7300 Arsenic NIOSH 7300

Etc.

Heavy Metals

Accident Investigation

All incidents (accidents resulting in injury or causing illness to Company employees) and events (near-miss accidents) shall be reported.

Incidents (Occupational Injuries and Illnesses) Injuries and illnesses that require reporting include those injuries and illnesses occurring on the job which result in any of the following:

- lost work time, restrictions in performing job duties, requirement for first aid or outside medical attention, permanent physical bodily damages, or death.
- Other incidents requiring reporting include those incidents occurring on the job which result in any of the following: injury or illness, damage to a Company vehicle, fire/explosion, property damage of more than \$100, or chemical releases requiring evacuation of at least that immediate spill area.
- Events (Near Misses) Other incidents which, strictly by chance, do not result in actual or observable injury, illness, death, or property damage are required to be reported.

All Company personnel have a responsibility to report all occupational injuries and illnesses, and other incidents or events under IPS*ITCS Incident Reporting System immediately

Incidents (Injuries and Illnesses) Serious injury or illness posing a life-threatening situation shall be reported immediately to the local emergency response medical services (Call 911) and client.

Injuries and illnesses shall be reported by the injured employee to his or her supervisor in person or by phone as soon after any life-threatening situation has been addressed. If the injured employee is unable to report immediately, then the incident should be reported as soon as possible.

Upon notification of an occupational injury or illness, the supervisor should notify the client and the HSEQT Manager, who will then prepare the necessary record keeping forms.

IPS★ITCS employees on assignment at a client's facility shall be responsible for knowing and following the IPS★ITCS Safety and Health Policies and Procedures in addition to any requirements by the client's safety program. Where the client's safety regulations are more stringent than IPS★ITCS policies, the employee will report to IPS★ITCS in accordance with this program. A copy of any written report and/or investigation made by the client should also be forwarded to the IPS★ITCS Supervisor or the team leader as soon as possible.

Each employee on assignment to a client's plant where hazardous materials are present at the job site will assure that they have access to the MSDS's and is trained to the required level. Each employee shall also ensure that the client has provided information as to any fire, explosion or toxic exposure that may be encountered onsite.

A copy of any written report and/or investigation shall be entered into the IPS★ITCS Office Server to be shared within the company.

Service Group Incident Su										
Originator				4-0-4-7						
Incident Name		-								
Site	- 594.00	2.000	5500 E-90	500 C-50	W 50000					
Job Number	- 1869A	L								
Shift Start		Date Occurred		Time Occ'ed	· · · · i					
Reported By	Sumame	Date Occurred		Time Occ ed						
	First Name	-								
	Supervisor									
Medium – potential less than 7 days High – potential se impact on the envir	st aid, loss less than \$ al medical treatment, i prious injury, admissic conment severe but re	Low Medium \$5,000, lost time less that loss between \$5,000 - \$2 on to hospital, lost time bi opairable loss of limbs, lost time 7+	an 3 hours, tempor 50,000, lost time le estween 2-7 days,	ary impact on environ ess than 2 days, impac loss between \$50,000	t on environment - \$10,000,					
Mechanism of I	ncident	Contact with electricity Exposure to cold Exposure to heat Exposure to noise Exposure to noise Exposure to pressure Fall at same level	Marsui Handin Other Other Muscular Repetitive move Strike against Struck bylogain	Stress Entrapment	0	n Indus	strial Service Group*			
		Furt from height.	Exposure to vib	ration			Procedures Followed			
Agency of Incid	ent	Chemical Exposure Machinery/fixed plant		outon oor environment			Witnesses	Witness 1		Witness 2
		Mobile Plant		al vessel condition				Witness 3		Witness 4
		Road transport	PPE				Authorities Notified	Date Notified	Ambulance L	EPA/DECC Workcover Time Notified
		· Other transport	Unsp	edfied				Who notified	+	Time Notified
		Powered equipment/	hools Other					Advice received	i -	
		Hydrojet equipment	Unde	rground Environment				Transc receives	1	
		Non-powered equipm	nent/tools Huma	an Agencies						
		Hazardous substance	es Biolog	gical Agencies			Client Notified	Yes No	Who?	
Location		- Other materials/subsi	tances				MA distribution sold	STIME STATE	200 //-	
Location							Corrective Action			
							Classification	Training C Docum	nentation Supervis	eon Maituncton Disnytronment D
Management N	otified	Yes No					Training – Inadequate training or	awareness of responsibility		100
Details							Documentation – Inadequate doc Supervision – Inadequate superv	rision/QA		
							Malfunction - Equipment malfunc Environment - Unsuitable work e	ction		
s - 5 1497	12121	T Julian -		161 -11	42.000.000		. Process - Process/System failure			
							Solution			
								4		
							Employee		10.72	
							Due Date			

Safety Meetings

Weekly Safety Meetings

Safety meetings shall be held by a supervisor with all their employees at least weekly. A record will be kept showing the topics discussed, date of meeting and the names of the person attending.

These weekly meetings should last no longer than 15-30 minutes. Ideally, the meeting would include time for active participation by employees; at the least, there should be a question-and-answer session.

Schedule meetings at the beginning of new operations to ensure that all the employees are familiar with safe job procedures and the requirements of the upcoming work.

Toolbox (Daily or Each Shift)

The Toolbox Talk/Work Group Safety Meeting is a method used by this Company to develop the employees' safety awareness.

For greatest effectiveness, cover subjects that most interest the employees. These topics might include accidents, inspection results, the safety program, or a work procedure and should last about 5-10 minutes prior to each shift.

Toolbox Talks/Work Group Safety Meetings may be either motivational or instructional. The motivational meeting creates awareness and aims at worker self-protection. The instructional meeting covers a particular job task or procedure.

The supervisor is the key management communicator for work groups, because they are most familiar with the individual workers and their work requirements.

A review of the recent work area inspection results, the workers' compliance with safety procedures and the accident investigation that occurred since the last safety meeting should be covered in the safety meeting.



(only and to Note	A) I sause Arising from Previous Day (Safety and Operational) complete this section if there were risks / Issues from the work conducted the day before hey could affect today's task). Sec A is NOT required for NEW tasks If there is nothing to add to Sec A move to and complete Sec B	Action Required? Yes / No (if yes - action to be listed below)	By Who:	Date / Time:
1.				
2.				
3.			616 62 661	
4.				
	B) Discussion Points / Issues Associated with Work to be Performed this Shift / Section B must be completed before each new task has commenced with consideration	Follow Up Action Required? Yes / No	Discussed:	
of, ch	nange of shift, change in job scope, new people are added or removed from the working o, following an incident or serious near miss, PPE / PPC required, Hazards Issued raised in	(if yes - action to be listed below)		
1.	Task JSEA needs to be read / reviewed and signed of by all staff			
2.	Everyone has the required and appropriate PPE, this PPE must be used when required, if damaged or worn the litem must be replaced, if extra PPE or a specific type is required inform your supervisor.		10 <u></u>	
3.	All Permits required for the task have been received and signed by the permit receiver; ensure that all applicable staff has signed onto the permit.			
4.	All work areas to be appropriately barricaded			
5.	BBO's (reminder to all about doing BBO's)			
6.	Importance of reporting all incidents, near misses and new hazards			
7.			· ·	
8.				
9.				
10.				
			Pi	age 2 of

Site Safety Rules

Safety regulations are established to protect people and property from injury or damage. All employees are asked to adhere to the following rules and also to develop a sense of pride for the safety and health in their respective workplaces. There is no substitute for the use of common sense and good judgment when it comes to safety.

- 1. Study your job and working conditions. Recognize the hazards and protect yourself and your fellow workers against them.
- 2. Promptly report all injuries to your supervisor; administer first aid promptly. (In case of serious injury, do not move the person until medical aid arrives unless in a dangerous location.
- 3. Read and observe all signs and warnings.
- 4. If you are in doubt about the safe or proper way to perform a job, get instructions from your supervisor.
- 5. Correct or report any unsafe workplace conditions to your supervisor as soon as possible.
- 6. Report fires immediately, sound the alarm, evacuate the building utilizing standard fire alarm protocol, only use the fire extinguishers available if you have been properly trained and if appropriate, to fight the fire.
- 7. Know the location of emergency exits and of safety equipment for your area(s). Know the location and general operation of hand fire extinguishers and other emergency equipment in your department. Keep exit paths clear. Report the use of any emergency equipment to your supervisor immediately.
- 8. All work areas shall be kept free of recognizable hazards. Material stacking or storage must be arranged to prevent its falling or creating trip hazards.
- 9. Oily and dirty rags must be stored and disposed of in proper containers.
- 10. Fluids spilled on floor areas must be cleaned up immediately.
- 11. Repair jobs are not complete until all debris resulting from such jobs has been cleaned up.
- 12. Use the right tools for the right job
- 13. Work within the rules of operating safely, each type of machine/equipment they may be required to operate.
- 14. Report immediately to the Project Manager, all substandard practices and conditions that are likely to cause injury or damage.
- 15. Wear proper and appropriate protective equipment and ensure that such protective equipment is maintained in good condition.
- 16. Comply with any additional site-specific safety regulations

IPS★ITCS have in place comprehensive safety policies and procedures designed to eliminate or minimize risks and hazards affecting the health and safety of our employees and others affected by our operations. We insist that these be observed and followed in all aspects of our activities, thus we require all our employees to be familiar with and be adequately trained in appropriate topics to the work they perform.

These include:

- IPS★ITCS Safety Management Plan
- IPS★ITCS Safety Procedures Manual
- Client Company's Safety policies and procedures
- Appropriate OSHA Regulations
- Approved Codes of Practice and Standards applicable to the work they undertake

Training on these topics will be provided as appropriate via generic induction training for new employees, site induction for all employees prior to commencing work on any new client site or project and is an ongoing program of safety training and "refresher" sessions. Casual employees engaged for short periods of time on specific work will be provided with such induction and job specific training appropriate to the work they are to perform and the site or location where they are employed.

The IPS★ITCS Safety Procedures manual documents procedures covering:

- Company Rules
- General Safety dealing with: Emergency Instruction
 - Housekeeping
 - Power Tools
 - Compressed Air
 - Ladders
 - Floor Openings and Holes
 - Working At Heights
 - Confined Spaces
 - Working in Hot Conditions
 - Accident Reporting
- Vehicle and Mobile Equipment Rules
- Environmental Care
- Working in Confined Spaces, and specifically:
 - Inert Entry Procedures
 - Project Procedures for Inert Entry
 - Vessel and/or Atmospheric Entry

Client Safety Procedures, which take precedence over or augment our own on their site, include but are not limited to:

- Emergency Procedures
- Personal Behavior
- Work Permit Procedures
- Protective Clothing
- Motor Vehicles
- Entry to Site Locations and Areas
- Housekeeping
- Eye Protection
- Drugs and Alcohol
- Facial Hair
- Confined Space Entry
- Electrical Isolation
- Equipment Isolation

IPS★ITCS hold copies of the above company and Client procedures at their main offices and in their site offices on major projects. These are available for the ready perusal of any employee.

Training

IPS★ITCS recognizes that regular and effective training of all employees is an essential factor in ensuring their knowledge, familiarity and compliance with all relevant safety rules and requirements.

While it is our policy to employ people having a background and proven experience in the Petro-Chemical and Oil-Refining industries, we provide additional training to all employees both as initial induction to safe working practices and procedures for new employees and ongoing training on safety topics and procedures for all employees on a regular basis to ensure their continuing awareness and update their knowledge as changes take place.

At the beginning of each year, the IPS*ITCS HSEQT Manager develop a safety training schedule for the next 12-months based on knowledge of immediate training needs, deficiencies and safety topics known to be relevant. This schedule will be followed through the year and only varied as urgent training needs become recognized or because of specific client requirements.

INDUCTION TRAINING PROGRAM

This is delivered by the IPS*ITCS Senior Supervisor at our main premises to all new and temporary employees prior to them commencing work or attending a client site. The content of the program includes:

An introduction to IPS★ITCS and the services it provides

- Safety management
- Safety policies and procedures
- Safety and hazard awareness
- Clients' site safety rules and procedures as applicable
- Clients work permit or authorization procedures as applicable

All trainees are required to take a verbal or written test on conclusion of this program to ensure their knowledge and retention of the major points and issues covered.

ANNUAL TRAINING PROGRAM

This is included as an integral part of the Annual safety meeting at IPS★ITCS premises and is conducted by the IPS★ITCS HSEQT Manager or by invited Trainers who are experienced in the topic to be delivered. Where appropriate, competency tests will be conducted to ensure the knowledge and understanding of the topic by each employee.

The IPS★ITCS HSEQT Manager will maintain a training register for all employees detailing the training given, the results of any competency test, the date of training, the name and qualifications of the training presenter, and the date when re-training (if applicable) falls due. This information can be made available to clients at their request.


Major training topics include:

- Confined Space Entry Procedures
- Inert Entry Procedures
- Manual Handling
- Back Injury Prevention
- First Aid
- Safety Auditing
- Handling Hazardous Materials
- Chemical Safety and Handling

- Hearing Protection
- Eye Protection
- PPE Selection
- Fire Training
- Electrical Safety and Use of Appliances & Tools
- OSHA Standard Practices
- Respiratory Protection

Applicable topics to major projects may be delivered as additional training to our normal program prior to the commencement of the project. Additional topics will be included in our regular training program as the need becomes recognized.

Note: See IPS ★ITCS Training Matrix



Record Keeping

Each month the Operations Manager will coordinate for the client a report of our safety performance. This will be compiled from the information provided through the Supervisors and Senior Supervisor. Monthly Safety Statistics to be Recorded: (For IPS*ITCS total and for individual client operations for both the month and Year-To-Date)

	Clier	nt site	IPS★ITCS Total			
	This Month	This Year	This Month	This Year		
Total hours worked						
No. of Lost Time Injuries						
No. of Medical Treatment Injuries						
No. of First-Aid Injuries						
No. of Near Misses						
No. of Safety Rule Violations						
No. of Property Losses or Damage						
Total of All Incidents						
No. of Days Lost to L.T.I's						
No. of Safety Audits Conducted						
Time Spent Auditing						
No. of Unsafe Acts Observed						

In addition to OSHA logs which are retained for five years, IPS★ITCS shall maintain other safety records for a period of one year from the end of the year for which the records are maintained. These will include inspection records, accident investigation reports, and minutes of safety meetings, training records and the LDOL-WC-1017A form.

First Aid

If an employee has a work-related injury or illnesses that requires professional medical assistance, they shall notify their supervisor and let him/her know before they receive this assistance. If they fail to notify their supervisor, they may be ineligible for Worker's Compensation, benefits to pay for doctor's bills, and/or lost wages.

CONTRACTOR SAFETY CONTACTS

HSEQT Manager: Shayne Torrans Phone: 281-479-4277

Cell: 832-640-8367

Safety Supervisor: Johnny Rivera Phone: 346-263-6510

Client Execution Lead: Phone:

Client Safety: Phone:

RESOPNSE TO INJURIES

a. INJURY NOTIFICATION LIST

IPS ★ITCS

Name: Shayne Torrans Title: HSEQT Manager Cell: 832-640-8367
Name: Joe Flores Title: Catalyst Operations Manager Cell: 832-284-3358
Name: Johnny Turner Title: Rescue Coordinator Cell: 281-229-2450

b. DOCTORS AND HOSPITALS

Primary Doctor: Dr. Ron Kirkwood

Office: 281-249-2273 4001 Preston Ave Ste 110 Pasadena, TX 77505

Secondary Doctor: Dr. Puig

Occupational Medical Care

Office: 281-998-2323

3692 East Sam Houston Parkway South - Suite 100

Pasadena, Texas 77505

INJURY REPORTING AND DOCUMENTATION

After treatment is rendered, IPS*ITCS will ensure that the IPS*ITCS Incident Report - Injury Form will be generated to the client contact. IPS*ITCS will follow the Client Contractor Accident Reporting process. In the event of an injury or incident, IPS*ITCS will investigate, take employee statements, prepare a formal investigation and cover with all IPS*ITCS Employees at the next scheduled safety meeting.

Minor Injury/Illness (On-Site Treatment)

- Immediately notify client Contact, client contractor safety representative.
- Contractor Supervisor or Safety Representative must escort injured person to the Site First Aid Facility for treatment (if applicable).
- First aid will be delivered in accordance with Client site specific requirements.
- Fill out IPS★ITCS Injury form

"An Industrial Service Group"	
Incident Reporting and Investigation Form Site/Project: Project Contact: Phone:	
Date: Fax:	
1 Details of Incident Supervisor HSEQT Manager Other Reported to:	
Time of Incident Category Time of Incident Near Miss Fatality First Aid Injury Property Damage	"An Industrial Service Group" Incident Reporting and Investigation Form
Date of Incident MTI Environmental Complaint Lost Time Injury Environmental Damage	micident reporting and investigation roun
Exact Location in the workplace	Nature of Injury Body Location Mechanism of Injury Agency of Injury Multiple Injuries Multiple Locations Other (give details) Unspecified Unspecified Unspecified Unspecified
NEAR MISS/INJURY & ILLNESS/DANGEROUS OCCURRENCE INCIDENT	
2 Details of Injured IPS Employee Subcontractor Client Employee Person:	4 Description of Incident: (What happened? Information must be accurate)
Surname First Name Occupation Immediate Supervisor Time Reported Time Left Work	
Date Reported Date Left Work	5 Name of Witnesses: (attach copies of witness statements if possible)
3 Details of Assessment By: First Aider Medical Center Hospital Injury:	1 3
Nature of Injury Body Location Mechanism of Injury Agency of Injury Fracture Eye Fall from Height Machinery/Fixed Plant	NOTIFICATION OF THE INCIDENT
Dislocation	Who was immediately notified of the incident? What procedures (if any) were followed?
Amputation Neck Exposure to Noise Powered Equipment Tools Open Wound Back Exposure to Pressure Non Powered Hand Tools Superficial Injury Trunk Repetitive Movement Non Powered Equipment	
Contusion Shoulders/Arms Other Muscular Stress Chemicals Foreign Body HandsFingers Contact with Electricity Other Materials/Substance Burns HipsuLege Exposure to HeatCod Outdoor Environment	Was the incident reported to the Client?
Toxic Effects FeetTose Exposure to Substances Infernal Vessel Environment Environmental Effects Internal Organs Other (give details) PPE	When: Who By:
	Immediate Advice Received?
Page 1 of 4	Were authorities notified of the incident?
The state of the s	Whom:
	Why:
	Additional Comments (attach any photos, client reports etc that may be applicable)
	Page 2 of 4

Injury/ Illness (Requiring Off-Site Medical Treatment)

Note: If Necessary, Site Superintendent may call for an ambulance

IPS★ITCS will follow the Client Contractor Accident Reporting process.

- For Injuries/Illnesses requiring non-emergency medical attention at a medical facility outside of the complex:
 - o Before leaving the complex, the Client Contact must be notified
 - o Follow the procedure for Post Incident Drug and Alcohol Testing.
- Immediately notify Client Contact.
- Forman or another Contractor Representative must accompany the injured person off- site.
- A Medical Status Report must be completed by the doctor.
- A copy of the JSEA in use during the time of the incident must be attached.
- Within 24-hours of the injury, provide copies of the "Incident Report of Injury to the Client Contact.

IPS★ITCS SITE SPECIFIC EMERGENCY ACTION PLAN (Post Copy at Employee Collection Point)

1. Project Location:

2.	Pro	oject Manager(s):
	a b	- y -
3.	Ме	dical Emergency Phone #:
4.	lde	ntify Evacuation Route(s):
	a.	(Primary #1)
	b.	(Primary #2)
	c.	(Alternate #1)
5.	lde	ntify Head Count Method to be Used:
	a.	Force Report
	b.	Time Sheets
	C.	Sign-In Sheets
	d.	Gate Logs
6.	Pe	rsons Responsible for Head Counts a. Project Manager
	a.	Safety Supervisor
7.	Pe	rson Responsible for Notifying Client's Representative:
	a.	(Primary) Project Manager
	b.	(Secondary) Safety Supervisor
8.	Clie	ent's designated representative(s) to receive head count:
	a.	(Primary)
	b.	(Secondary)
9.	Wir	nd direction determination methods
	1.	Windsocks
	2.	Steam Plumes
	3.	Flags

10. Doctors and Hospital Information:

Primary Doctor: Dr. Ron Kirkwood Office: 281-249-2273 4001 Preston Ave Ste 110 Pasadena, TX 77505

Secondary Doctor: Dr. Louis Puig Occupational Medical Care Office: 281-998-2323

3692 East Sam Houston Parkway South - Suite 100

Pasadena, Texas 77505

11. Injury Notification List:

IPS★ITCS:

Name: Shayne Torrans Title: HSEQT Manager Cell: 832-640-8367
Name: Joe Flores Title: Operations Manager Cell: 832-284-3358
Name: Jonny Turner Title: Rescue Coordinator Cell: 281-229-2450

Client:

Name: Title: Cell:

Emergency Preparedness Program

In an industrial environment many circumstances events or conditions may require an emergency action plan. This could include but not limited to catastrophic events, fires, gas releases, adverse weather, and bomb threats.

General

- 1. Location managers will prepare a written supplemental emergency response and disaster plan for IPS*ITCS employees assigned to a client's facility. This localized plan shall be coordinated with the client's plans and employee training shall be conducted.
- 2. The site evacuation procedure and evacuation routes shall be posted at the jobsite with employee access readily available. See Attachment **HSE.FOR.Site Specific Emergency Action Plan.2022**.
- 3. For fire or gas release type emergencies, employee must be aware of wind direction to properly respond. Employees must be advised to use windsocks, steam plumes or flags to determine wind direction.

Bomb Threats

1. If a telephone bomb threat is received, it is important that as much information as possible be obtained from the caller. A copy of the bomb threat information should be readily available at any telephone that directly receives outside calls. The person who receives the call shall report the call immediately to their supervisor. The Site Representative involved will contact the Client Representative to determine if an evacuation of the area will be ordered.

Inclement Weather

- 1. The National Weather Bureaus will issue inclement weather conditions on a regular basis if there is a threat of inclement weather in the area. The warning system should include, but not limit to the following conditions.
 - High Wind and Thunderstorms (Lightning)
 - Ice and Heavy Snowstorms
 - Tornado Warnings
 - Hurricanes
- 2. In an area where the above conditions have been declared, IPS★ITCS activities will be shut down prior to the expected arrival of conditions or earlier if deemed necessary by the IPS★ITCS Site Superintendent.