

PANDEMIC COVID-19 PROCEDURE



Pandemic COVID-19 Procedure

January 2023

IPS★ITCS Influenza Season Pandemic Policy

This document provides guidance to help decrease the spread of influenza (flu) among IPS★ITCS workers during flu season. It recommends actions that IPS★ITCS should take now to decrease the spread of seasonal flu and Coronavirus Disease (COVID-19) flu in the workplace and to help maintain business continuity during the flu season.

The guidance also suggests strategies to consider if CDC determines that the flu is becoming more severe and provides recommendations regarding when an employee who is sick with flu may return to work. The guidance in this document may change as additional information about the severity of flu season and the impact of Coronavirus Disease (COVID-19) flu become known. Please check www.flu.gov periodically for updated guidance. This guidance represents CDC's and IPS★ITCS' current thinking on this topic.

BACKGROUND

The U.S. Department of Health and Human Services' (HHS) Centers for Disease Control and Prevention (CDC), with input from the U.S. Department of Homeland Security (DHS), has developed updated guidance for employers of all sizes to use as they develop, review, update and implement plans to respond to Coronavirus Disease (COVID-19) flu during flu season. Businesses and employers, in general, play a key role in protecting employees' health and safety, as well as in limiting the negative impact of flu outbreaks on the individual, the community, and the nation's economy. IPS★ITCS has developed flu pandemic plans and will review and revise the plans to take into account the extent and severity of disease in our community as outlined in this guidance.

Flu Symptoms, Transmission, and Risk:

Symptoms of flu can include fever, cough, sore throat, runny or stuffy nose, body aches, headache, chills, and fatigue, and sometimes diarrhea and vomiting. People may be infected with the flu, including Coronavirus Disease (COVID-19) flu, and have respiratory symptoms without a fever. Like seasonal flu, Coronavirus Disease (COVID-19) flu infection in humans can vary in severity from mild to severe.

Like seasonal flu, the Coronavirus Disease (COVID-19) flu virus is spread mainly from person to person through coughs or sneezes of infected individuals. People may also become infected by touching something - such as a surface or object - with flu virus on it and then touching their mouth, nose, or eyes.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 3 of 20

Some people are at higher risk than others for serious complications from flu. These people include:

- Children younger than 5 years old, but especially children younger than 2 years old
- people aged 60 years or older
- pregnant women
- adults and children who have:
 - asthma
 - neurological and neurodevelopmental conditions
 - · chronic lung disease
 - heart disease
 - blood disorders
 - endocrine disorders (such as diabetes)
 - kidney, liver, and metabolic disorders
 - · weakened immune systems due to disease or medication
 - People younger than 19 years of age who are receiving long-term aspirin therapy.

Planning for Flu Season

The severity of illness that flu (seasonal or Coronavirus Disease (COVID-19)) will cause or the amount of illness that may occur cannot be predicted with a high degree of certainty. Therefore, IPS*ITCS should plan to be able to respond in a flexible way to varying levels of severity and be prepared to refine their pandemic flu response plans if a potentially more serious outbreak of flu evolves. More people and communities are likely to be affected as flu is more widely transmitted. The CDC and its partners will continue to monitor national and international data on the severity of illness caused by flu, will disseminate the results of these ongoing surveillance assessments and will make additional recommendations as needed.

Considerations of Appropriate Response Strategies

IPS★ITCS must balance a variety of objectives when determining how best to decrease the spread of flu and lower the impact of flu in the workplace. IPS★ITCS should consider and communicate their objectives, which may include one or more of the following:

- 1. reducing transmission among staff,
- 2. protecting people who are at higher risk for complications from getting infected with flu.
- 3. maintaining business operations, and
- 4. minimizing adverse effects on other entities in their supply chains.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 4 of 20

IPS★ITCS should expect to see a wide range of disease patterns across the country. IPS★ITCS should base their strategies and response to flu outbreaks on local information from local and state public health authorities. Some of the key indicators that should be used when making decisions on appropriate responses are:

- Disease severity (i.e., hospitalization and death rates) in the community where business is located;
- Extent of disease (number of people who are sick) in the community;
- Impact of disease on workforce populations that are vulnerable and at higher risk for flu complications e.g., pregnant women, employees with certain chronic medical conditions that put them at increased risk for complications of flu); and
- Other factors that may affect employees' ability to get to work, such as school dismissals or early childhood program closures due to high levels of absenteeism or illness.

IPS★ITCS need to plan now to be able to obtain updated information on these indicators from state and local health departments in each community where they have a business presence and to respond quickly to the changing reality on the ground. IPS★ITCS with more than one business location are encouraged to provide local managers with the authority to take appropriate actions outlined in their business pandemic plan based on the condition in each locality.

PREPAREDNESS AND RESPONSE RECOMMENDATIONS

Planning for Coronavirus Disease (COVID-19) flu and the flu season

IPS★ITCS should have an understanding of their normal seasonal absenteeism rates and know how to monitor their personnel for any unusual increases in absenteeism through the flu season. IPS★ITCS managers should assess their essential business functions now to determine at what threshold of absenteeism those functions would be threatened if absenteeism escalates. Managers can then prepare to take more aggressive measures to protect continuity as absenteeism escalates towards those thresholds.

IPS*ITCS should be ready to implement strategies to protect their workforce from flu while ensuring continuity of operations. During a flu outbreak, all sick people should stay home and away from the workplace, respiratory etiquette and hand hygiene should be encouraged, and routine cleaning of commonly touched surfaces should be performed regularly. If the severity of illness increases, IPS*ITCS should be ready to implement additional measures while continuing to rigorously implement the interventions recommended for an outbreak similar to Coronavirus Disease (COVID-19) flu outbreak. If severity increases, public health officials may recommend a variety of methods for increasing the physical distance between people (called social distancing) to reduce the spread of disease, such as school dismissal, early childhood program closure, cancelling large community gatherings, cancelling large business-related meetings, spacing employees farther apart in the workplace, cancelling non-essential travel, and recommending work-from-home strategies for employees that can conduct their business remotely.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 5 of 20

Please remember: IPS*ITCS should develop capabilities to respond to both conditions and these two conditions serve only as a planning framework. IPS*ITCS should develop flexible capabilities to respond to either condition given the difficulties in accurately predicting the extent and severity of the flu season. IPS*ITCS may implement additional actions if they experience high absenteeism or business continuity is compromised. In addition, IPS*ITCS should be aware that other emergencies such as hurricanes or other natural disasters are unpredictable and may occur with little notice, creating additional challenging problems for businesses and communities.

Work with State and Local Public Health Partners

Coordination with state and local health officials is strongly encouraged for all businesses so that timely and accurate information can guide appropriate responses in each location where their operations reside. Since the intensity of an outbreak may differ according to geographic location, local public health officials will be issuing guidance specific to their communities. Also, businesses could work with public health and community leaders to explore ways of improving accessibility of vaccination for the workforce and in the community.

Keep Sick Employees Home

One of the best ways to reduce the spread of flu is to keep sick people away from well people. However, it's not always possible to quickly determine if employees who are sick have Coronavirus Disease (COVID-19) flu, seasonal flu, or any number of other different conditions based on symptoms alone. Local and state health department surveillance information can be helpful to know when flu is circulating in the community, although the availability, timeliness, and amount of local information on when flu is circulating may vary substantially from community to community.

Employees who have flu-like symptoms are recommended to stay home and not come to work until at least 24-hours after their fever has resolved without the use of fever-reducing medicines. IPS*ITCS should plan now to allow and encourage sick employees to stay home without fear of losing their jobs. CDC recommends this strategy for all levels of severity. IPS*ITCS has planned for how they will operate if there is significant absenteeism from sick employees. However, IPS*ITCS should know that some persons with flu, including those ill with Coronavirus Disease (COVID-19) flu, do not have fever. Therefore it will not be possible to exclude everyone who is sick with flu from the workplace. Incubation period for COVID-19 is 5-12 days. The CDC has made a 14-day recommendation for personnel who are sick to stay away from the workplace to help in minimizing the spread of the disease.

Be Prepared if Schools Dismiss Students or Early Childhood Programs Close

In some communities, schools may dismiss students and early childhood programs may close, particularly if flu severity increases. Officials will make these decisions to protect public health, but they will affect your business's functioning, especially affecting absenteeism. IPS*ITCS has planned to determine how we will operate if absenteeism spikes from increases in sick employees, those who stay home to care for sick family members, and those who must stay home to watch their children if dismissed from school. IPS*ITCS has prepared to institute flexible workplace and leave policies for these employees.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 6 of 20

Actions IPS★ITCS Should Take Now:

- Establish this flexible flu pandemic plan and involve employees in developing and reviewing the plan.
- Conduct a focused discussion or exercise using this plan, to find out ahead of time whether the plan has gaps or problems that need to be corrected before flu season.
- Have an understanding of your organization's normal seasonal absenteeism rates and know how to monitor your personnel for any unusual increases in absenteeism through the flu season.
- Engage state and local health department to confirm channels of communication and methods for dissemination of local outbreak information.
- Allow sick employees to stay home without fear of losing their jobs for up to 14 days;
- Develop other flexible leave policies to allow employees to stay home to care for sick family members or for children if schools dismiss students or early childhood programs close.
- Share this flu pandemic plan with IPS★ITCS employees and explain what human resources policies, workplace and leave flexibilities, and pay and benefits will be available to them.
- Share best practices with other businesses in your communities (especially those in your supply chain), chambers of commerce, and associations to improve community response efforts.

Flu Pandemic Plan:

- IPS★ITCS is prepared to implement multiple measures to protect employees and ensure business continuity. This layered approach will likely work better than using just one measure.
- IPS★ITCS will identify possible work-related exposure and health risks to your employees. The Occupational Safety and Health Administration (OSHA) has developed tools to determine if your employees are at risk of work-related exposures and, if so, how to respond
- IPS*ITCS will review human resources policies to make sure that policies and practices are consistent with public health recommendations and are consistent with existing state and federal workplace
- IPS*ITCS will allow employees to stay home if they are sick, have to care for sick family members, or must watch their children if schools or early childhood programs close.
- IPS★ITCS will explore whether it can establish policies and practices, such as flexible worksites (e.g., telecommuting) and flexible work hours (e.g., staggered shifts), when possible, to increased the physical distance among employees and between employees and others if local public health authorities recommend the use of social distancing strategies.
- IPS★ITCS will ensure that it has the information technology and infrastructure needed to support multiple employees who may be able to work from home. (Cell Phones, Laptops, Air Cards, etc.)

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 7 of 20

- IPS★ITCS has identified essential business functions, essential jobs and/or roles, and critical elements within our supply chains (e.g., suppliers, subcontractor services/products, and logistics) required to maintain business operations.
 IPS★ITCS will Plan for how the business will operate if there is increasing absenteeism or these supply chains are interrupted.
- IPS★ITCS has set-up authorities, triggers, and procedures for activating and terminating the company's flu pandemic plan, altering business operations (e.g., possibly changing or closing operations in affected areas), and transferring business knowledge to key employees.
- IPS★ITCS plan to minimize exposure to fellow employees or the public if public health officials call for social distancing.
- IPS★ITCS will communicate information to employees and business partners on your Coronavirus Disease (COVID-19) flu pandemic plans and latest Coronavirus Disease (COVID-19) flu information via email, meetings, and phone calls. IPS★ITCS has anticipated employee fear, anxiety, rumors, and misinformation, and plan communications accordingly.
- Over the past several years, HHS, CDC, DHS, OSHA, EEOC, and other federal partners have developed guidelines, including checklists, to assist businesses, industries, and other employers in planning for a pandemic. Review these resources to assist in your planning efforts: www.flu.gov/plan/workplaceplanning/index.html.
- The recommendations that follow are divided into two groups:
 - 1. recommendations to use now, during the flu season, assuming a similar severity to the flu outbreak seen during April through December 2014, and;
 - 2. Recommendations to consider adding if a more severe flu season occurs.

NOTE: Local conditions will influence the decisions that public health officials make regarding community-level strategies; IPS★ITCS should take the time now to learn about plans in place in each community where they have a presence.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 8 of 20

IPS★ITCS Recommended strategies to use now, for flu conditions with severity similar to Coronavirus Disease (COVID-19) flu outbreak

- Encourage vaccination against the flu: The best way to protect against the fluseasonal or Coronavirus Disease (COVID-19) - is to get vaccinated.
 - Encourage IPS★ITCS employees to get vaccinated for seasonal flu. For information on groups prioritized for seasonal flu vaccines
 - The five primary target groups for vaccination against Coronavirus Disease (COVID-19) flu include pregnant women, people who live with or care for children younger than 6-months of age, healthcare and emergency medical services personnel, people age 6-months through 24- years, and people age 25 through 64-years who have underlying medical conditions that put them at higher risk for flu complications. Due to increased vaccine availability, everyone, including those over age 65- years, can now be vaccinated.
 - Offer opportunities at your worksite for flu vaccination. Consider granting employees time off from work to get vaccinated if not offered at the worksite.
 - Review the health benefits you offer employees and work with insurers to explore if they can cover the costs of flu vaccination.

Advise the sick to stay home:

- Advise employees to be alert to any signs of fever and any other signs of flu-like illness before reporting to work each day, and notify their supervisor and stay home if they are sick. Employees who are sick should not travel while they are sick.
- CDC recommends that employees with flu-like illness remain at home until at least 24-hours after they are free of fever (100° F [37.8° C] or greater), or signs of a fever, without the use of fever-reducing medicines.
- Expect sick employees to be out for about 3 to 5 days in most cases, even
 if antiviral medicines are used could be absent for up to 14 days.
- Ensure that your sick leave policies are flexible and consistent with public health guidance and that employees are well aware of these policies.
- Talk with companies that provide your company with contract or temporary employees about the importance of sick employees staying home and encourage them to develop non-punitive leave policies.
- Do not require a healthcare provider's note for employees who are sick with flu-like illness to validate their illness or to return to work, as healthcare provider offices and medical facilities may be extremely busy and may not be able to provide such documentation in a timely way.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 9 of 20

The IPS★ITCS Group Pandemic COVID-19 Procedure

Employees who are well but who have a sick family member at home with flu can go to work as usual. However, these employees should monitor their health every day, and notify their supervisor and stay home if they become sick. IPS★ITCS should maintain flexible policies that permit employees to stay home to care for a sick family member. IPS★ITCS should be aware that more employees may need to stay at home to care for sick children or other sick family members than is usual.

Separate sick employees:

- CDC and IPS★ITCS recommends that employees who appear to have flulike illness upon arrival or become sick during the day be promptly separated from other employees and be advised to go home immediately until at least 24-hours after they are free of fever (100° F [37.8° C] or greater when taken orally), or signs of a fever, without the use of fever-reducing medicines.
- Those who become sick with symptoms of flu-like illness during the workday should be:
 - Separated from other employees and asked to go home immediately. (For recommendations on personal protective equipment for a person assisting the sick employee.
 - CDC and IPS★ITCS recommends people with known, probable, or suspected flu or flu-like illness to use a facemask if available and tolerable, or otherwise to cover their noses and mouths with a tissue when coughing or sneezing (or an elbow or shoulder if no tissue is available).
 - If an employee becomes sick at work, inform fellow employees of their possible exposure in the workplace to flu-like illness but maintain confidentiality as required by the Americans with Disabilities Act (ADA). Employees exposed to a sick co-worker should monitor themselves for symptoms of flu-like illness and stay home if they are sick.

• Emphasize respiratory etiquette and hand hygiene by both people who are well and those who have any symptoms of flu:

- o Flu viruses are thought to spread mainly from person to person in respiratory droplets of coughs and sneezes. Provide employee messages on the importance of covering coughs and sneezes with a tissue or, in the absence of a tissue, one's elbow or shoulder. IPS★ITCS should place posters in the worksite that encourages cough and sneeze etiquette.
- IPS★ITCS will provide tissues and no-touch disposal receptacles for use by employees.
- o Flu may be spread via contaminated hands. Instruct employees to wash their hands often with soap and water. If soap and water are not available, employees may use an alcohol-based hand rub. However, hand rubs should not be used when hands are visibly soiled. Place posters in the worksite that encourage hand hygiene.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 10 of 20

The IPS★ITCS Group Pandemic COVID-19 Procedure

○ IPS★ITCS should provide soap and water and alcohol-based hand rubs in the workplace. Ensure that adequate supplies are maintained. If feasible, place hand rubs in multiple locations or in conference rooms to encourage hand hygiene.

Perform routine environmental cleaning:

- IPS★ITCS shall routinely clean all frequently touched surfaces in the workplace, such as workstations, countertops, and doorknobs. Use the cleaning agents that are usually used in these areas and follow the directions on the label.
- No additional disinfection beyond routine cleaning is recommended.
- Provide disposable wipes so that commonly used surfaces (for example, doorknobs, keyboards, remote controls, desks) can be wiped down by employees before each use.

Take measures to protect employees who are at higher risk for complications from the flu:

- o IPS★ITCS will inform employees that some people are at higher risk for complications from the flu and that if they are at higher risk for complications, they should check with their healthcare provider if they become sick. It's very important that antiviral drugs be used early to treat flu in people who are very sick (for example people who are in the hospital) and people who are sick with flu and have a greater chance of getting serious flu complications. Other people may also be treated with antiviral drugs by their healthcare provider this season.
- IPS★ITCS will encourage employees recommended for seasonal flu vaccine and Coronavirus Disease (COVID-19) flu vaccines (when available) to get vaccinated. For information on groups prioritized for seasonal and Coronavirus Disease (COVID-19) flu vaccines,
- IPS★ITCS employees who become sick and are at higher risk for flu complications and sick employees who are concerned about their illness should call their healthcare provider for advice. Their healthcare provider might want them to take antiviral medicines to reduce the likelihood of severe complications from the flu.

Prepare for increased numbers of employee absences due to illness in employees and their family members, and plan ways for essential business functions to continue:

- IPS★ITCS should plan to monitor and respond to absenteeism at the workplace. Implement plans to continue your essential functions in case you experience higher than usual absenteeism. Elevated absentee rates can be due to sick employees, those who need to stay home and care for others, or from employees with conditions that make them at higher risk for flu complications and who may be worried about coming to work.
- IPS★ITCS should cross-train personnel (as much as possible) to perform essential functions so that the workplace is able to operate even if key staff members are absent.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 11 of 20

The IPS★ITCS Group Pandemic COVID-19 Procedure

○ IPS★ITCS will assess the essential functions and the reliance that others and the community have on our services or products. Be prepared to change the business practices if needed to maintain critical operations (e.g., identify alternative suppliers, prioritize customers, or temporarily suspend some of your operations if needed).

Advise employees before traveling to take certain steps:

- IPS★ITCS will advise employees to check themselves for fever and any other signs of flu-like illness before starting travel and notify their supervisor and stay home if they are sick.
- IPS★ITCS will advise employees who will be traveling or on temporary assignment about precautions they may need to take to protect their health and who to call if they become sick.
- IPS★ITCS employees who become sick while traveling and are at higher risk for flu complications and others concerned about their illness should promptly call a healthcare provider for advice.
- IPS★ITCS will ensure employees who become sick while traveling or on temporary assignment understand that they should notify their supervisor.
- o If outside the United States, sick employees should follow your company's policy for obtaining medical care or contact a healthcare provider or overseas medical assistance company to assist them with finding an appropriate healthcare provider in that country, if needed. A U.S. consular officer can help locate healthcare services. However, U.S. embassies, consulates, and military facilities do not have the legal authority, capability, and resources to evacuate or give medicines, vaccines, or medical care to private U.S. citizens overseas.

• Prepare for the possibility of school dismissal or temporary closure of early childhood programs:

- Although school dismissals or closures of early childhood programs are not likely to be generally recommended at this level of severity, they are possible in some jurisdictions.
- IPS★ITCS is prepared to allow employees to stay home to care for children if schools are dismissed or early childhood programs are closed.
- IPS★ITCS strongly recommend that parents not bring their children with them to work while schools are dismissed.
- IPS★ITCS ensures that our leave policies are flexible and non-punitive.
- o IPS★ITCS will cross-train employees to cover essential functions.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 12 of 20

Recommended strategies to add in the event of increased flu severity for Coronavirus Disease (COVID-19) flu outbreak

If Coronavirus Disease (COVID-19) flu becomes more severe than during previous Coronavirus Disease (COVID-19) flu outbreaks, absenteeism will likely be far greater, and additional protective measures to slow the spread of flu may be considered. CDC may recommend additional strategies to help decrease the spread of flu if global, national, or regional assessments indicate that flu is causing more severe disease. In addition, state and local health officials may choose to use additional strategies. Check with your local health department for the extent and severity of disease activity in your community and for recommendations for necessary measures. Decisions about what tools should be used during a severe Coronavirus Disease (COVID-19) flu outbreak should be based on the observed severity of the event; its impact on specific subpopulations; the need to protect employees; the expected benefit of the interventions; the feasibility of success of implementing these measures; the direct and indirect costs of different interventions; and the effects on critical infrastructure, healthcare delivery, and society. The following are measures that should be considered by IPS*ITCS if flu severity increases and are meant for use in addition to the measures outlined above.

Consider active screening of employees who report to work:

- o If flu severity increases, at the beginning of the workday or with each new shift, all employees should be asked about symptoms consistent with flu illness, such as fever or chills AND cough or sore throat. If the severity or the impact of flu increases, CDC and IPS★ITCS recommends that people with flu-like illness not come to work or travel and remain at home for at least 14-days, even if symptoms resolve sooner. Individuals who are still sick 14-days after they become sick should continue to stay home until at least 24-hours after symptoms have resolved. If flu severity increases, CDC recommends that people stay home at least 14-days whether or not antiviral medicines are used.
- IPS★ITCS sick leave policies are flexible and consistent with public health guidance, and that your employees are aware of these policies.
- IPS★ITCS does not require a healthcare provider's note for employees who are sick with flu.
- IPS★ITCS will continue to advise employees to check for any signs of illness before reporting to work each day.
- IPS★ITCS will make contingency plans for increased absenteeism caused by illness in employees or illness in employees' family members that would require them to stay home. Planning for absenteeism could include crosstraining current employees or hiring temporary employees.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 13 of 20

Consider alternative work environments for employees at higher risk for flu complications during periods of increased flu activity in the community:

- Employees with an underlying chronic medical condition or who are pregnant should consider calling their healthcare provider for advice about how to reduce their risk of exposure to flu and, if they get sick, how best to get early treatment for flu.
- If flu severity increases and if flu transmission is high in the community, IPS*ITCS may want to evaluate their work environment to see how they can reduce the number of people that employees at higher risk for flu complications come in contact with, such as exploring options for telecommuting from home (if feasible). IPS*ITCS can also think about how employees at higher risk for flu complications could be reassigned to duties that have minimal contact with other employees, clients, or customers. If these employees cannot be reassigned duties to reduce contact with others, are concerned about their ability to avoid flu at the workplace or will be in crowded conditions at work or while commuting to work, and then consider allowing employees at higher risk for flu complications to stay home from work.
- CDC and IPS★ITCS recommend that sick employees at higher risk for flu complications seek early treatment if they become sick.
- See http://www.cdc.gov for more information.

• Increase social distancing in the workplace:

- If flu severity increases, local public health officials may recommend that IPS★ITCS implement measures to increase the physical distance between people in the workplace to reduce the spread of flu. The goal should be for there to be at least 6-feet of distance between people at most times. This is not a simple or easy strategy and would typically require considerable flexibility. These measures may include avoiding crowded work settings, cancelling business-related face- to-face meetings, spacing employees farther apart, cancelling non- essential travel, increasing use of teleworking, and using staggered shifts to allow fewer employees to be in the workplace at the same time.
- If appropriate for IPS★ITCS and feasible, review or develop policies for teleworking including an assessment of the capabilities and gaps of your current computer systems and availability of technical support. Take remedial steps if needed and test your system in advance to assure it can handle an increase in remote users.
- Recommendations to increase social distancing may affect community functioning. Because supply chain issues may be affected, make sure you have plans for back-up suppliers.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 14 of 20

Cancel non-essential business travel and advising employees about possible disruptions while traveling overseas:

- If the severity of the outbreak worldwide increases, public health officials may recommend social distancing strategies, which include cancelling non-essential travel, and travel restrictions may be enacted by some countries which may limit the ability of employees to return home if they become sick while on travel status.
- If flu severity increases, travelers should also be prepared for travel delays, health screenings, and other activities targeted towards travelers. Provide information to travelers about contingency plans and how their travel can be rebooked for these possible delays.

Prepare for school dismissal or closure of early childhood programs:

- School dismissals and closure of early childhood programs are more likely at higher levels of severity. Be prepared to allow employees to stay home to care for their children if schools are dismissed or early childhood programs are closed. If dismissal is needed, schools are being advised to dismiss students for at least 5 to 7 calendar days or longer if necessary.
- Encourage employees who perform essential functions and who have children to plan for contingencies should local early childhood programs close or schools dismiss students.
- Be prepared for prolonged absenteeism if schools dismiss students for an extended time. Make sure your leave policies are flexible and non- punitive.
- IPS★ITCS should strongly recommend that parents not bring their children with them to work while schools are dismissed.
- Implement flexible workplace policies like teleworking and staggered shifts.

Consider other issues:

IPS*ITCS should be aware that the severity of Coronavirus Disease (COVID-19) flu could change rapidly; therefore, local public health recommendations to communities and businesses could be revised quickly. Planners should identify sources of timely and accurate information so they are aware of changes to recommendations and can promptly implement revised or additional measures recommended by local public health officials.

Attachment A:

Action Plan for work at Client Facilities:

- Employees are to ensure that if they feel ill, they should not show up to site and notify supervisor.
- Employees should use Social Distancing of at least 6 feet when applicable while on site.
- Employees should keep a face covering on their person at all times.
- Employees should don face covering if interacting within 6 feet from other personnel
- All IPS equipment (Monitors, Vans, Radios, etc.) are cleaned in accordance with CDC guidelines.
- Procedures for issuing and returning equipment shall follow IPS guidelines to minimize close proximity and contact to contact transfer.
- If employees have travelled within the last 30-days out of the country or to areas considered to be high risk by CDC, they must notify IPS supervision prior to entry on site.
- All employees should follow general hygiene awareness for managing risk of spreading COVID-19
 - Wash Hands frequently
 - Use hand sanitizer when available
 - Use protective processes when coughing or sneezing
 - Have face covering on your person at all times
 - o Stay home if sick
- Daily Temperature Checks should be performed prior to entry into any client facility.





Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Pages 16 of 21

Approvals:

Signature

Revision History

Rev	Rev Date	Rev By	Approved By	Description
1.0	1.3.2022	Shayne Torrans	Shayne Torrans	Initial Procedure Document
1.1	12.2.2022	Shayne Torrans	Shayne Torrans	Format Revision

Procedure Owner	
Print Name	Date

Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Pages 17 of 21

Competency Assessment

No.	Questionnaire	C/NYC
Q1		
A 1		
Q2		
A2		
Q3		
A 3		
Q4		
A4		
Q5		
A 5		

Enclosed Attachments	
Risk Assessment	
Environmental Aspect and Impact	
Training and Competency	
Measure and Evaluation Tools	

Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Pages 18 of 21

Competency Checklist

To be filled out by Trainer and signed by Employee, Assessor and Supervisor before being returned to the HSEQT Manager for recording purposes.

Procedure	Competency	Date	YES / NO	Employee Signature	
			(Please tick	k appropriate box)	
This employee is	s competent in performing the	e job.			
This employee has not attained the competency level.					
* If the employee has not attained all competency levels, the General Manager must assess the action to be taken, provide an extension of training or alternative action as listed below.					
Alternate action	to be taken:				
Signed By	Employee:			Date:	
	Trainer:			Date:	
	Assessor:			Date:	
	Regional Manager:			Date:	

Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Pages 19 of 21

Environmental Aspects and Impacts

Identified Environmental Aspects and Impacts

The following table is a summary of the likely environmental aspects and impacts that may be identified during site inspections. The significance of each impact needs to be assessed using the Risk Assessment Model.

Activity	Aspect	Impact		
	Consumption of goods	Conservation of natural resources		
Purchasing & Administrative Work	Consumption of energy (eg. Electrical equipment and facilities)	Release of greenhouse gases and atmospheric pollution; Consumption of natural resources; Habitat loss		
	Generation of waste (eg. Paper)	Consumption of space for waste disposal; Habitat loss		
Climate Control	Consumption of energy	Release of greenhouse gases and atmospheric pollution; Consumption of natural resources; Habitat loss		
	Generation of noise	Disturbance to community; Habitat loss		
Cleaning of – offices / vehicles	Storage, use and release of chemicals	Contamination of air, water or soil; Risk to human health		
	Consumption of energy Consumption of go ds (eg. Oil)	Polease of green that so gases and a mospheric be lut on; Consumption of natural resources; Loss of habitat at all stages of generation; Light pollution Consumption of majora are resources; Generation of waste; Habitat loss; Biodiversity impacts		
Transport (Fleet vehicles / staff travel)	Generation of waste (eg. Oil) Consumption of space for waste disponent of the contamination of water or so Habitat loss			
	Exhaust emission	Release of greenhouse gases and atmospheric pollution		
	Use of dangerous goods (eg. Batteries)	Potential contamination of air, water or soil; Risk to human health		
	Generation of noise	Disturbance to community; Habitat degradation		
Operations				

Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Pages 20 of 21

Risk Assessment



Risk Assessment // insert name here							
Step No: Logical sequenc e	Sequence of Basic Job Steps documented in the Procedure, Work Instruction and project plans. Break down Job into steps. Each step should be logical and accomplish a major task.	Potential Safety & Environmental Hazards/Impacts at the site of the Job Identify the actual and potential health and safety hazards and the environmental impacts associated with each step of the job.	Risk Rating Refer to the risk matrix or HSEQT.PRO. Risk Mgt	Recommended Corrective Action or Procedure Determine the corrective actions necessary to reduce the risk to as low as reasonably practical (ALARP) refer to HSEQ.PRO.Risk Mgt. The risk must be rediced or controlled to ALARP before work commences. Document who is responsible for implementing the controls to manage each hazard identified.	Risk Rating refer to the risk matrix or HSEQT.PRO.Risk Mgt		
1.							
2.							
3.							
4.							
5.							

Version: 1.1 Date Last Modified: 12.2.2022 Author: Shayne Torrans Page 21 of 21

Audit



Process: insert// Procedure: Insert //			Date: Location of Audit:	Audited by: Area Mgr/Supervisor:		
ltem	Question	E	Evidence Sited	Con	nments	Conformance Score 0,3,5
1.						
2.						
3.						
4.						
5.						
6.						
7.						
AUDITOR'S SIGNATURE: SAFETY REP'S SIGNATURE:		CONFORMANCE %:	3) – Non-Conformance 5 – Continuous Improvement Opportuni 5 – Total Conformance	ty	

Version: 1.1Date Last Modified: 12.2.2022Author: Shayne TorransPages 22 of 21